

B) 1. (Previously Amended) A method for preventing fraud associated with a special service call, the method comprising the steps of:

storing an originating phone number associated with the call in a database within an inter-exchange carrier network if the call is suspicious, the call originating from a local exchange carrier network and terminating at a special service call number;

D) determining whether a subsequent call to the special service call number corresponds to the stored originating phone number;

blocking the subsequent call to the terminating special service call number if the subsequent call corresponds to the stored originating phone number; and

providing the suspicious originating phone number to another database accessible by the local exchange carrier network.

to be
if be
access to be?

2. (Previously Amended) The method as recited in claim 1, wherein the database is a Service Management System (SMS) database.

3. (Previously Amended) The method as recited in claim 1, wherein the originating phone number is an Automatic Number Identification (ANI).

4. (Previously Amended) The method as recited in claim 1, wherein the terminating special service call number is an "800" number.

5. (Previously Amended) The method as recited in claim 1, further comprising the steps of:

designating a threshold for suspicious call activity;

monitoring calls on the inter-exchange carrier network; and

determining that the call is suspicious if the threshold is exceeded.

6. (Previously Canceled)

B
D1
7. (Previously Amended) The method as recited in claim 1, further comprising the step of:
routing the call to a bridge switch within the inter-exchange carrier network, the bridge
switch being under the control of a call processing platform that is configured to block the
call.

8. (Previously Amended) The method as recited in claim 1, further comprising the step of:
routing the special service call through the inter-exchange carrier network at an automated
switch under control of an automatic switching and routing control system.

9. (Unamended) The method as recited in claim 8, wherein the automatic switching and
routing control system is Signaling System 7 (SS7).

10. (Previously Amended) A fraud prevention system for blocking special service calls
within an inter-exchange carrier network, comprising:

a database for maintaining a record associated with a special service call number ;

means for entering an originating phone number into the record, wherein the originating
phone number is identified as suspicious; and

means for blocking a special service call originating from a local exchange carrier network
placed to the special service call number if the call is associated with the originating
phone number.

11. (Previously Amended) The system as recited in claim 10, wherein the means for blocking further comprises:

means for extracting the originating phone number in the record from the database and for sending the originating phone number to a switch within the inter-exchange carrier network to block the call.

12. (Previously Amended) The system as recited in claim 11, wherein the database is a Service Management System (SMS) database, the means for extracting includes a Service Control Point (SCP), and a Service Switching and Control Point (SSCP), wherein the SCP and the SSCP communicate according to a Signalling System 7 (SS7) protocol.

13. (Previously Amended) The system as recited in claim 10, wherein the inter-exchange carrier network comprises:

an Intelligent Services Network (ISN) platform for accessing the database; and

an Automatic Call Distributor (ACD), under control of the ISN platform, for further processing the special service call.

14. (Previously Amended) The system as recited in claim 10, wherein the means for entering originating phone number includes a fraud control console configured to receive alerts that are generated when traffic in the inter-exchange carrier network exceeds at least one threshold.

15. (Previously Canceled)

16. (Previously Canceled)

B+
17. (Currently Amended) The system as recited in claim 10, wherein the special service call number is an "800" number.

D1
18. (Previously Amended) The system as recited in claim 10, wherein the originating number identification is an Automatic Number Identification (ANI).

19. (Canceled)

20. (Canceled)

21. (Previously Added) A method for preventing fraud in processing special service calls, the method comprising:

monitoring a plurality of special service calls initiated from a common originating number,

wherein the special service calls are processed by a first telephone network;

storing the common originating number within a database accessible by the first telephone

network if the special service calls generate a fraud alert;

selectively initiating blocking of a subsequent special service call within the first telephone

network if the subsequent special service call is from the stored common originating number; and

transmitting the stored originating number to another database accessible by a second

telephone network for blocking within the second telephone network.